




Tooth Eruption Chart


PRIMARY DENTITION

| Upper Teeth | | Erupt | Exfoliate |
|---|-----------------|--------------|-------------|
|  | Central incisor | 8-12 months | 6-7 years |
| | Lateral incisor | 9-13 months | 7-8 years |
| | Canine (cuspid) | 16-22 months | 10-12 years |
| | First molar | 13-19 months | 9-11 years |
| | Second molar | 25-33 months | 10-12 years |

| Lower Teeth | | Erupt | Exfoliate |
|---|-----------------|--------------|-------------|
|  | Second molar | 23-31 months | 10-12 years |
| | First molar | 14-18 months | 9-11 years |
| | Canine (cuspid) | 17-23 months | 9-12 years |
| | Lateral incisor | 10-16 months | 7-8 years |
| | Central incisor | 6-10 months | 6-7 years |

PERMANENT DENTITION

| Upper Teeth | | Erupt |
|---|-----------------------------------|-------------|
|  | Central incisor | 7-8 years |
| | Lateral incisor | 8-9 years |
| | Canine (cuspid) | 11-12 years |
| | First premolar (first bicuspid) | 10-11 years |
| | Second premolar (second bicuspid) | 10-12 years |
| | First molar | 6-7 years |
| | Second molar | 12-13 years |
| | Third molar (wisdom tooth) | 17-21 years |

| Lower Teeth | | Erupt |
|---|-----------------------------------|-------------|
|  | Third molar (wisdom tooth) | 17-21 years |
| | Second molar | 12-13 years |
| | First molar | 6-7 years |
| | Second premolar (second bicuspid) | 10-12 years |
| | First premolar (first bicuspid) | 10-11 years |
| | Canine (cuspid) | 11-12 years |
| | Lateral incisor | 8-9 years |
| | Central incisor | 7-8 years |

Source: Adapted with permission from the Arizona Department of Health Services, Office of Oral Health, courtesy of Don Altman, D.D.S., M.P.H. The assistance of the American Dental Hygienists' Association is gratefully acknowledged.