

Age ▶ Vaccine	Birth	2 month	4 month	6 month	9 month	12 month	15 month	18 month	2 year	4 (4-6) year	11 - 18 year	
Tetanus											Tdap Given at 11-12 years	
Diphtheria, Tetanus, Pertussis – DTaP		Pediarix	Pediarix	Pediarix			DTaP			Kinrix		
Inactivated Poliovirus		Pediarix	Pediarix	Pediarix						Kinrix		
Hepatitis B	Hep B	Pediarix	Pediarix	Pediarix								
Haemophilus Influenza B		Hib	Hib	Hib		Hib						
Pneumococcal		PCV13	PCV13	PCV13		PCV13				<i>PPSV23 for High Risk Groups</i>		
Rotavirus		Rota	Rota	Rota								
Hepatitis A						Hep A		Hep A	<i>Catch up if not done</i>			
Measles, Mumps, Rubella						MMR				MMR		
Varicella							Var			Var	<i>Second dose catch up</i>	
Influenza				Yearly from 6 months and older; 2 shots in first season if under age 9 and no prior influenza vaccine								
Human Papilloma Virus											<15 yrs HPV x 2 2 doses separated by six months	≥15 yrs HPV x 3 3 doses at 0/2/6 months
Meningitis (A, C, Y, and W-135)											MCV4 Given at 11-12 years Booster four years later (age 16) Unless first dose at age 16 or after	
Meningitis B											MenB x 2 At 16 years	